Table of Contents

17 Series Wall Mounted Heat Pumps - FTXB / RXB (9 - 24K)..... 1
19 Series Wall Mounted Heat Pumps - FTX / RX (9 - 24K)..... 2
AURORA Series Wall Mounted Heat Pumps - FTX / RXL (9 - 15K)..... 3
AURORA Series Floor Mounted Heat Pumps - FVXS / RXL (9 - 15K)..... 5
VISTA Series Ceiling Cassette Heat Pumps - FFQ / RX (9 - 18K)..... 6
LV Series Wall Mounted Heat Pumps - FTXS / RXS (9 - 24K)..... 7
FDMQ Ducted Series Heat Pumps - FDMQ / RX (9 - 24K)..... 9
FDMQ Ducted Series Heat Pumps - FDMQ / RXL (9 - 24K)..... 10
DZK Zone Control Kit for FDMQ Ducted Horizontal..... 11
EMURA Designer Series Wall Mounted Heat Pumps - FTXR / RX (9 - 18K)..... 12
QUATERNITY Series Wall Mounted Heat Pumps - FTXG / RXG (9 - 15K)..... 13
Multi-Zone Heat Pumps..... 14
Multi-Zone Indoor Units..... 19
17 Series Wall Mounted Cooling Only - FTKB / RKB (9 -24K)..... 22
19 Series Wall Mounted Cooling Only - FTK / RK (9-24K)..... 23
SkyAir FAQ Series Wall Mounted Heat Pumps - FAQ / RZQ (18 - 24K)..... 24
SkyAir NV Series Wall Mounted Heat Pump - FTX / RX (30 - 36K)..... 25
SkyAir FBQ Series Concealed Ducted Heat Pumps - FBQ / RZQ (18 - 48K)..... 26
SkyAir FCQ Series Ceiling Cassette Heat Pumps - FCQ / RZQ (18 - 48K)..... 27
SkyAir FHQ Series Ceiling Suspended Heat Pumps - FHQ / RZQ (18 - 42K)..... 28
SkyAir FTQ Series Conventional Ducted Heat Pumps - FTQ / RZQ (18 - 48K).... 29
SkyAir FAQ Series Wall Mounted Cooling Only - FAQ / RZR (18 - 24K)..... 30
SkyAir NV Series Wall Mounted Cooling Only - FTX / RK (30 - 36K)..... 31
SkyAir FBQ Series Concealed Ducted Cooling Only - FBQ / RZR (18 - 48K)..... 32
SkyAir FCQ Series Ceiling Cassette Cooling Only - FCQ / RZR (18 - 48K)..... 33
SkyAir FHQ Series Ceiling Suspended Cooling Only - FHQ / RZR (18 - 48K)..... 34
SkyAir FTQ Series Conventional Ducted Cooling Only - FTQ / RZR (18 - 48K)... 35
Warranties and Extended Service Plans..... 36
Single & Multi-Zone System Essentials..... 38
Outdoor Dimensions..... 40

17 Series Wall Mounted Heat Pumps - FTXB / RXB

17 SEER 9.0 HSPF Wall Mount HP (Remote Controller Included)

- Inverter Compressor
- Self Diagnostics with Digital Display
- Anti-Corrosion Treatment on Heat Exchanger
- Indoor/Outdoor Unit Quiet Operation
- Eco+ Mode / Dry Function / Powerful Mode
- **Max Piping (09/12 MBH): 66' Length, 32' Height**
- **Max Piping (18/24 MBH): 98' Length, 32' Height**

Precharged for up to 25ft. of Liquid Line
Auto Fan Speed Control
Wireless IR Remote Controller
Auto Restart after Power Failure

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Rated Heat @ 5°	Lineset Size	Breaker	Price	Stock
RXB09AXVJU	Outdoor Condensing Unit Heat Pump	17	9.0	8,800	9,400	5,800	4,603	1/4" x 3/8"	15 AMP	437.00	Yes
FTXB09AXVJU	Wall Mounted Heat Pump Indoor Unit									231.00	Yes
									Total	668.00	
RXB12AXVJU	Outdoor Condensing Unit Heat Pump	17	9.0	11,000	11,300	7,200	5,533	1/4" x 3/8"	15 AMP	482.00	Yes
FTXB12AXVJU	Wall Mounted Heat Pump Indoor Unit									266.00	Yes
									Total	748.00	
RXB18AXVJU	Outdoor Condensing Unit Heat Pump	17	9.0	18,000	17,900	10,200	8,765	1/4" x 1/2"	20 AMP	694.00	Yes
FTXB18AXVJU	Wall Mounted Heat Pump Indoor Unit									284.00	Yes
									Total	978.00	
RXB24AXVJU	Outdoor Condensing Unit Heat Pump	17	9.0	21,200	21,200	11,800	10,381	1/4" X 5/8"	20 AMP	830.00	Yes
FTXB24AXVJU	Wall Mounted Heat Pump Indoor Unit									338.00	Yes
									Total	1168.00	

19 Series Wall Mounted Heat Pumps - FTX / RX

Up to 19 SEER 9.0 HSPF Wall Mount HP (Remote Controller Included)

*** Low Ambient Extended Operation to -4° - 115° F with Facility Setting & Air Adjustment Grille)**

- Inverter Compressor
- Self Diagnostics with Digital Display
- Auto Fan Speed Control
- Wireless Backlit, IR Remote Controller
- Auto Restart after Power Failure
- Hot Start Feature
- **Max Piping (09/12 MBH): 65' Length, 49' Height**
- **Max Piping (18/24 MBH): 98' Length, 66' Height**

Precharged for up to 33 ft. of Liquid Line
Econo Mode / Dry Function / Powerful Mode
Anti-Corrosion Treatment on Heat Exchanger
Indoor/Outdoor Unit Quiet Operation
Daikin Comfort App

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Rated Heat @ 5°	Lineset Size	Breaker	Price	Stock
RX09AXVJU	Outdoor Condensing Unit Heat Pump	19	9.0	9,000	10,000	6,000	4,470	1/4" x 3/8"	15 AMP	567.00	Yes
FTX09AXVJU	Wall Mounted Heat Pump Indoor Unit									299.00	Yes
									Total	866.00	
RX12AXVJU	Outdoor Condensing Unit Heat Pump	19	9.0	10,900	13,500	8,100	6,040	1/4" x 3/8"	15 AMP	646.00	Yes
FTX12AXVJU	Wall Mounted Heat Pump Indoor Unit									326.00	Yes
									Total	972.00	
RX18AXVJU	Outdoor Condensing Unit Heat Pump	18	9.0	18,000	21,600	13,000	9,650	1/4" x 1/2"	20 AMP	1074.00	Yes
FTX18AXVJU	Wall Mounted Heat Pump Indoor Unit									396.00	Yes
									Total	1470.00	
RX24AXVJU	Outdoor Condensing Unit Heat Pump	18	9.0	21,200	24,000	14,400	10,720	1/4" X 5/8"	20 AMP	1140.00	Yes
FTX24AXVJU	Wall Mounted Heat Pump Indoor Unit									434.00	Yes
									Total	1574.00	

Optional Accessories

Part #	Description	Models Used With	Price	Stock
KPW937E4	Low Ambient Air Adjustment Grille (Wind Baffle)	RX09 / 12	144.00	Yes
KPW063B4	Low Ambient Air Adjustment Grille (Wind Baffle)	RX18 / 24	156.00	Yes
BRP072A43	Wi-Fi Interface Adapter for Mini-Split Systems	All	160.00	Yes
BRC944B2	Wall Controller (must order Interface Adaptor & Cord)	All	145.00	Yes
BRCW901A08	Controller Cord (must order Interface Adaptor & Stat)	All	2.00	No
KRP067A41E	Interface Adaptor for Wired Remote Controller	FTX09 / 12	131.00	No
KRP980B2E	Interface Adaptor for Wired Remote Controller	FTX18 / 24	154.00	No
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat for Single and Multi-Zone Systems and OTA Software Update		513.00	No

AURORA Series Wall Mounted Heat Pumps - FTX / RXL

AURORA™ Series Wall Mounted Heat Pumps - Controller Included

Up to 100% Heating Capacity @ 5° F

Up to 100% Cooling Capacity at 104° F

Cooling Range 50° - 115° F, Low Ambient Enhanced Operation to -4° F with Facility Setting & Air Adjustment Grille

Heating Range -13° - 60° F

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Anti-Corrosion Treatment on Heat Exchanger
- Indoor/Outdoor Unit Quiet Operation
- **Max Piping (09/12 MBH): 65' Length, 49' Height**
- **Max Piping (15 MBH): 98' Length, 66' Height**

Self Diagnostics with Digital Display
Econo Mode / Dry Function / Powerful Mode
Wireless Backlit, IR Remote Controller
Auto Restart after Power Failure

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Max Heat @ 5°	Lineset Size	Breaker	Price	Stock
RXL09QMVJU	Outdoor Condensing Unit Heat Pump	20	12.5	9,000	10,900	6,700	10,900	1/4" x 3/8"	15 AMP	761.00	Yes
FTX09NMVJU	Aurora Wall Mount HP									315.00	Yes
									Total	1076.00	
RXL12QMVJU9	Outdoor Condensing Unit Heat Pump	20	12	10,900	13,600	8,800	14,330	1/4" x 3/8"	15 AMP	918.00	Yes
FTX12NMVJU	Aurora Wall Mount HP									343.00	Yes
									Total	1261.00	
RXL15QMVJU	Outdoor Condensing Unit Heat Pump	20	12.5	15,000	18,300	11,500	18,300	1/4" x 1/2"	15 AMP	1388.00	Yes
FTX15NMVJU	Aurora Wall Mount HP									408.00	Yes
									Total	1796.00	
RXL18UMVJU	Outdoor Condensing Unit Heat Pump	20.3	12.5	18,000	21,600	14,000	21,600	1/4" x 1/2"	20 AMP	1475.00	No
FTX18UVJU	Aurora Wall Mount HP									449.00	No
									Total	1924.00	
RXL24UMVJU	Outdoor Condensing Unit Heat Pump	20	12.5	21,200	24,000	15,800	24,000	1/4" x 5/8"	20 AMP	1690.00	
FTX24UVJU	Aurora Wall Mount HP									488.00	No
									Total	2178.00	

AURORA™ Accessories

Part #	Description	Models Used With	Price	Stock
KPW937E4	Low Ambient Air Adjustment Grille (Wind Baffle)	RXL09 / 12	144.00	Yes
KPW063B4	Low Ambient Air Adjustment Grille (Wind Baffle)	RXL15	156.00	Yes
BRP072A43	Wi-Fi Interface Adapter for Mini-Split Systems	All	160.00	Yes
BRC944B2-A08	Wired Wall Controller (Interface adaptor required)	All	145.00	Yes
KRP067A41E	Interface Adaptor for Wired Wall Controller	FTX09 / 12	131.00	No

AURORA Accessories

AURORA™ Accessories (Continued)

Part #	Description	Models Used With	Price	Stock
KRP980B2E	Interface Adaptor for Wired Wall Controller	FTX15	154.00	No
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat for Single and Multi-Zone Systems and OTA Software Update		513.00	No

AURORA Series Floor Mounted Heat Pumps - FVXS / RXL

AURORA™ Series Floor Mounted Heat Pumps - Controller Included

Up to 20 SEER and 11.7 HSPF

100% Heating Capacity @ 5° F

Low Ambient Enhanced Operation -4°F to 115°F with Facility Setting and Air Adjustment Grille

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Anti-Corrosion Treatment on Heat Exchanger
- Indoor/Outdoor Unit Quiet Operation
- Comfort Mode
- Self Diagnostics with Digital Display
- Econo Mode / Dry Function / Powerful Mode
- Wireless Backlit, IR Remote Controller
- Auto Restart after Power Failure
- Hot Start
- **Max Piping (09/12 MBH): 65' Length, 49' Height**
- **Max Piping (15 MBH): 98' Length, 66' Height**

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Max Heat @ 5°	Lineset Size	Breaker	Price	Stock
RXL09QMVJU	Outdoor Condensing Unit Heat Pump	20	11.7	9,000	10,100	6,200	10,100	1/4" x 3/8"	15 AMP	761.00	Yes
FVXS09NVJU	Low-Wall / Floor Standing Indoor Unit									618.00	Yes
									Total	1379.00	
RXL12QMVJU9	Outdoor Condensing Unit Heat Pump	20	11.4	10,200	13,000	8,300	13,000	1/4" x 3/8"	15 AMP	918.00	Yes
FVXS12NVJU	Low-Wall / Floor Standing Indoor Unit									683.00	Yes
									Total	1601.00	
RXL15QMVJU	Outdoor Condensing Unit Heat Pump	20	11.3	15,000	18,000	11,500	18,000	1/4" x 1/2"	15 AMP	1388.00	Yes
FVXS15NVJU	Low-Wall / Floor Standing Indoor Unit									691.00	Yes
									Total	2079.00	

AURORA™ Accessories

Part #	Description	Models Used With	Price	Stock
KPW937E4	Low Ambient Air Adjustment Grille (Wind Baffle)	RXL09	144.00	Yes
KPW063B4	Low Ambient Air Adjustment Grille (Wind Baffle)	RXL12 / 15	156.00	Yes
BRP072A43	Wi-Fi Interface Adapter for Mini-Split Systems	All	160.00	Yes
BRC944B2-A08	Wired Wall Controller	All	145.00	Yes
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat for Single and Multi-Zone Systems and OTA Software Update		513.00	No

VISTA Series Ceiling Cassette Heat Pumps - FFQ / RX

VISTA™ Series Ceiling Cassette HP - Decoration Panel and Either Controller Required

Up to 20.90 SEER and up to 11.70 HSPF

*** Low Ambient Extended Operation down to -4° - 115° F with Facility Setting & Air Adjustment Grille**

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Auto-Swing (up and down)
- Indoor Unit Quiet Operation
- Draft Reduction
- Fresh Air Integration Possible
- Self Diagnostics
- Hot-Start Function
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger
- Individual Louver Control
- **Max Piping (09/12 MBH): 65' Length, 49' Height**
- **Max Piping (15/18 MBH): 98' Length, 66' Height**

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Max Heat @ 5°	Lineset Size	Breaker	Price	Stock
RX09RMVJU9	Outdoor Condensing Unit Heat Pump	20.9	11.7	9,100	10,000	6,000	4,480	1/4" x 3/8"	15 AMP	694.00	Yes
FFQ09Q2VJU	Ceiling Cassette Indoor Unit									665.00	Yes
									Total	1359.00	
RX12RMVJU9	Outdoor Condensing Unit Heat Pump	20.2	11.2	10,800	13,500	8,300	6,040	1/4" x 3/8"	15 AMP	927.00	Yes
FFQ12Q2VJU	Ceiling Cassette Indoor Unit									713.00	Yes
									Total	1640.00	
RX15RMVJU	Outdoor Condensing Unit Heat Pump	20.7	11.0	14,400	16,200	10,600	7,230	1/4" x 1/2"	15 AMP	1099.00	Yes
FFQ15Q2VJU	Ceiling Cassette Indoor Unit									875.00	Yes
									Total	1974.00	
RX18RMVJU9	Outdoor Condensing Unit Heat Pump	19.3	10.1	17,400	21,600	14,200	9,610	1/4" x 1/2"	15 AMP	1259.00	Yes
FFQ18Q2VJU	Ceiling Cassette Indoor Unit									973.00	Yes
									Total	2232.00	

VISTA™ Accessories

Part #	Description	Models Used With	Price	Stock
BYFQ60C2W1W	Decoration Panel - White	White	141.00	Yes
BRYQ60A2W	Sensor Kit Intelligent Eye, Comfort Airflow and Floor Sensor	White	127.00	No
BRC082A42W	Wireless Controller	White	191.00	Yes
BRC1E73	Wired Controller	All	239.00	Yes
KPW937E4	Low Ambeint Air Adjustment Grille (Wind Baffle)	RX09 / 12	144.00	Yes
KPW063B4	Low Ambient Air Adjustment Grille (Wind Baffle)	RX15 / 18	156.00	Yes

LV Series Wall Mounted Heat Pumps - FTXS / RXS

LV Series Wall Mount HP (Remote Controller Included)

Energy Efficient - up to 24.5 SEER 12.5 HSPF

Low Ambient Extended Operation to 0°F - 115°F with Facility Setting and Air Adjustment Grille

- Inverter Compressor
- Wireless Backlit, IR Remote Controller
- Indoor Sound Pressure as low as 22 dB(A)
- Outdoor Sound Pressure as low as 48 dB(A)
- Weekly Timer
- Powerful Operation Mode
- Outdoor Unit Quiet Operation
- Self Diagnostics with Digital Display
- Hot Start
- Precharged for up to 33 ft of Liquid LIne
- Program Dry Function
- 3-D Airflow
- Intelligent Eye
- Auto Fan Speed Control
- Auto Restart after Power Failure
- Anti Corrosion Treatment on Outdoor Heat Exchanger
- **Max Piping (09/12 MBH): 66' Length, 49' Height**
- **Max Piping (15/18/24 MBH): 98' Length, 66' Height**

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Rated Heat @ 5°	Lineset Size	Breaker	Price	Stock
RXS09LVJU	Outdoor Condensing Unit Heat Pump	24.5	12.5	9,000	12,000	7,700	5,370	1/4" x 3/8"	15 AMP	830.00	Yes
FTXS09LVJU	Wall Mounted Heat Pump Indoor Unit									377.00	Yes
									Total	1207.00	
RXS12LVJU	Outdoor Condensing Unit Heat Pump	23.0	12.5	12,000	14,400	9,200	6,430	1/4" x 3/8"	15 AMP	994.00	Yes
FTXS12LVJU	Wall Mounted Heat Pump Indoor Unit									385.00	Yes
									Total	1379.00	
RXS15LVJU	Outdoor Condensing Unit Heat Pump	20.6	11.6	15,000	18,000	11,900	8,050	1/4" x 1/2"	20 AMP	1307.00	No
FTXS15LVJU	Wall Mounted Heat Pump Indoor Unit									431.00	Yes
									Total	1738.00	
RXS18LVJU	Outdoor Condensing Unit Heat Pump	20.3	11.0	18,000	21,600	13,900	9,650	1/4" x 1/2"	20 AMP	1473.00	Yes
FTXS18LVJU	Wall Mounted Heat Pump Indoor Unit									454.00	Yes
									Total	1927.00	
RXS24LVJU	Outdoor Condensing Unit Heat Pump	20.0	10.6	21,400	25,400	16,400	11,340	1/4" X 5/8"	20 AMP	1604.00	Yes
FTXS24LVJU	Wall Mounted Heat Pump Indoor Unit									558.00	Yes
									Total	2162.00	

Optional Accessories

Part #	Description	Models Used With	Price	Stock
KPW937C4	Low Ambient Air Adjustment Grille (Wind Baffle)	RXS09 / 12	144.00	No
KPW945A4	Low Ambient Air Adjustment Grille (Wind Baffle)	RXS15 / 18 / 24	157.00	No
BRP072A43	Wi-Fi Interface Adapter for Mini-Split Systems	All	160.00	Yes
BRC944B2-A08	Wired Wall Controller	All	145.00	Yes

LV Accessories

Optional Accessories (Continued)

Part #	Description	Models Used With	Price	Stock
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat for Single and Multi-Zone Systems and OTA Software Update		513.00	No

FDMQ Ducted Series Heat Pumps - FDMQ / RX

FDMQ Series Ducted HP - Either Controller Required

Up to 20.2 SEER adn 10.6 HSPF

Low Ambient Extended Operation -4°F - 115°F with Facility Setting and Air Adjustment Grille

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Available External Static Pressures of up to 0.6"
- Indoor Unit Quiet Operation
- Hot Start
- Self Diagnostics
- Hot-Start Function
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on ODU Heat Exchanger
- **Max Piping (09/12 MBH): 65' Length, 49' Height**
- **Max Piping (15/18/24 MBH): 98' Length, 66' Height**

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Max Heat @ 5°	Lineset Size	Breaker	Price	Stock
RX09RMVJU9	Outdoor Condensing Unit Heat Pump	17.8	10.3	9,000	10,900	6,800	4,870	1/4" x 3/8"	15 AMP	694.00	Yes
FDMQ09RVJU	Ducted Indoor Unit									788.00	Yes
									Total	1482.00	
RX12RMVJU9	Outdoor Condensing Unit Heat Pump	19.4	10.6	10,800	13,600	8,500	6,080	1/4" x 3/8"	15 AMP	927.00	Yes
FDMQ12RVJU	Ducted Indoor Unit									810.00	Yes
									Total	1737.00	
RX15RMVJU	Outdoor Condensing Unit Heat Pump	20.2	10.3	14,400	16,200	10,600	7,230	1/4" x 1/2"	15 AMP	1099.00	Yes
FDMQ15RVJU	Ducted Indoor Unit									916.00	Yes
									Total	2015.00	
RX18RMVJU9	Outdoor Condensing Unit Heat Pump	18.5	10.3	17,600	21,600	13,600	9,650	1/4" x 1/2"	15 AMP	1259.00	Yes
FDMQ18RVJU	Ducted Indoor Unit									1095.00	Yes
									Total	2354.00	
RX24RMVJU	Outdoor Condensing Unit Heat Pump	18.6	10	21,800	24,000	15,000	10,700	1/4" x 5/8"	20 AMP	1466.00	Yes
FDMQ24RVJU	Ducted Indoor Unit									1189.00	Yes
									Total	2655.00	

FDMQ Accessories

Part #	Description	Models Used With	Price	Stock
BRC1E73	Wired Navigation Remote Controller	All	239.00	Yes
BRC082A43	Wireless Remote Controller	All	251.00	No
KPW937E4	Low Ambient Air Adjustment Grille (Wind Baffle)	RX09 / 12	144.00	Yes
KPW063B4	Low Ambient Air Adjustment Grille (Wind Baffle)	RX15 / 18 / 24	156.00	Yes

AURORA Series Concealed Ducted Heat Pump - FDMQ\RXL

FDMQ Series Ducted HP - Either Controller Required

Up to 29.4 SEER adn 10.8 HSPF

Low Ambient Extended Operation -4°F - 115°F with Facility Setting and Air Adjustment Grille

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Available External Static Pressures of up to 0.6"
- Indoor Unit Quiet Operation
- Hot Start
- Self Diagnostics
- Hot-Start Function
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on ODU Heat Exchanger
- **Max Piping (12 MBH): 65' Length, 49' Height**
- **Max Piping (18/24 MBH): 98' Length, 66' Height**

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Max Heat @ 5°	Lineset Size	Breaker	Price	Stock
RXL12QMVJU9	Outdoor Condensing Unit Heat Pump	18.0	10.8	10,800	13,600	8,500	6,080	1/4" x 3/8"	15 AMP	918.00	Yes
FDMQ12RVJU	Ducted Indoor Unit									810.00	Yes
									Total	1728.00	
RXL18UMVJUA	Outdoor Condensing Unit Heat Pump	19.4	10.3	17,600	21,600	13,600	9,650	1/4" x 1/2"	15 AMP	1475.00	No
FDMQ18RVJU	Ducted Indoor Unit									1095.00	Yes
									Total	2570.00	
RXL24UMVJUA	Outdoor Condensing Unit Heat Pump	18.6	10.0	21,200	24,000	15,000	10,700	1/4" x 5/8"	20 AMP	1690.00	
FDMQ24RVJU	Ducted Indoor Unit									1189.00	Yes
									Total	2879.00	

DZK Zone Control Kit for FDMQ Ducted Horizontal

DZK Zone Control Kit for:

FDMQ09RVJU

FDMQ12RVJU

Part #	# of Zones	Zone Duct Diameter	Height	Width	Depth	Weight	Price	Stock
DZKS015E3-3	2 to 3	8" (3)	9-5/8"	34-3/16"	10-7/16"	16 lbs	1395.00	No
DZKS015E4-3	2 to 4	6" (4)	9-5/16"	34-3/16"	10-7/16"	18 lbs	1423.00	No

DZK Zone Control Kit for:

FDMQ15RVJU

FDMQ18RVJU

FDMQ24RVJU

Part #	# of Zones	Zone Duct Diameter	Height	Width	Depth	Weight	Price	Stock
DZKS030E4-3	2 to 4	8" (4)	9-5/8"	43-5/8"	10-7/16"	18 lbs	1489.00	No
DZKS030E5-3	2 to 5	6" (5)	9-5/16"	43-5/8"	10-7/16"	20 lbs	1594.00	No

Accessories

Part #	Description	Price	Stock
DZK-MTS-3-W	Wired Thermostat - 1 Required for each DZKS Control Kit	354.00	Yes
DZK-ZTS-3-W	Wireless Thermostat	262.00	Yes
DZK-LTS-3-W	Wireless Lite Stat	245.00	Yes
DZK-BACNET-3	BACnet Interface	266.00	No

EMURA Designer Series Wall Mounted Heat Pumps - FTXR / RX

EMURA™ Series Wall Mount HP Matte White or Silver Finish - Controller Included

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Anti-Corrosion Treatment on Heat Exchanger
- Indoor/Outdoor Unit Quiet Operation
- 3-D Airflow
- **Max Piping (09/12 MBH): 65' Length, 49' Height**
- **Max Piping (18 MBH): 98' Length, 66' Height**

Self Daignostics with Digital Display
Econo Mode / Dry Function / Powerful Mode
Wireless Backlit, IR Remote Controller
Auto Restart after Power Failure
Daikin Comfort App (compatible)

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Rated Heat @ 5°	Lineset Size	Breaker	Price	Stock
RX09RMVJU9	Outdoor Condensing Unit Heat Pump	18.0	9.3	9,000	10,000	6,400	4,480	1/4" x 3/8"	15 AMP	694.00	Yes
FTXR09TVJUW	Emura Wall Mount HP - White									511.00	Yes
									Total	1205.00	
RX12RMVJU9	Outdoor Condensing Unit Heat Pump	17.0	10.0	12,000	13,500	8,700	6,040	1/4" x 3/8"	15 AMP	927.00	Yes
FTXR12TVJUW	Emura Wall Mount HP - White									590.00	Yes
									Total	1517.00	
RX18RMVJU9	Outdoor Condensing Unit Heat Pump	14.5	9.8	18,000	20,000	13,300	8,970	1/4" x 1/2"	15 AMP	1259.00	Yes
FTXR18TVJUW	Emura Wall Mount HP - White									747.00	Yes
									Total	2006.00	
RX09RMVJU9	Outdoor Condensing Unit Heat Pump	18.0	9.3	9,000	10,000	6,400	4,480	1/4" x 3/8"	15 AMP	694.00	Yes
FTXR09TVJUS	Emura Wall Mount HP - Silver									535.00	Yes
									Total	1229.00	
RX12RMVJU9	Outdoor Condensing Unit Heat Pump	17.0	10.0	12,000	13,500	8,700	6,040	1/4" x 3/8"	15 AMP	927.00	Yes
FTXR12TVJUS	Emura Wall Mount HP - Silver									614.00	Yes
									Total	1541.00	
RX18RMVJU9	Outdoor Condensing Unit Heat Pump	14.5	9.8	18,000	20,000	13,300	8,970	1/4" x 1/2"	15 AMP	1259.00	Yes
FTXR18TVJUS	Emura Wall Mount HP - Silver									771.00	Yes
									Total	2030.00	

Optional Accessories

Part #	Description	Models Used With	Price	Stock
KPW937E4	Low Ambient Air Adjustment Grille (Wind Baffle)	RX09 / 12	144.00	Yes
KPW063B4	Low Ambient Air Adjustmnet Grille (Wind Baffle)	RX18	156.00	Yes
BRP072A43	Wi-Fi Interface Adapter for Mini-Split Systems	All	160.00	Yes
BRC944B2-A08	Wired Wall Controller	All	145.00	Yes
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat for Single and Multi-Zone Systems and OTA Software Update		513.00	No

QUATERNITY Series Wall Mounted Heat Pumps - FTXG / RXG

Quaternity™ Wall Mount HP (Remote Controller Included)

Up to 26.1 SEER and 10.6 HSPF

***Enhanced Dehumidification / Air Purification**

- Inverter Compressor
- Wireless Backlit, IR Remote Controller
- Indoor Sound Pressure as low as 26 dB(A)
- Outdoor Sound Pressure as low as 46 dB(A)
- Flash Steamer Technology
- Advanced Dehumidification
- Indoor Unit Quiet Operation
- Self Diagnostics with Digital Display
- Precharged for up to 32 ft of Liquid Line
- Comfortable Mode
- 3-D Airflow
- Auto Changeover
- Auto Fan Speed Control
- Auto Restart after Power Failure
- Anti Corrosion Treatment on Heat Exchanger
- **Max Piping (09/12/15 MBH): 32' Length, 26' Height**

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Rated Heat @ 5°	Lineset Size	Breaker	Price	Stock
RXG09HVJU	Outdoor Condensing Unit Heat Pump	26.1	11.0	9,000	12,000	8,100	-	1/4" x 3/8"	15 AMP	1561.00	Yes
FTXG09HVJU	Wall Mounted Heat Pump Indoor Unit									757.00	Yes
									Total	2318.00	
RXG12HVJU	Outdoor Condensing Unit Heat Pump	24.2	10.6	12,000	16,000	10,400	-	1/4" x 3/8"	15 AMP	1669.00	No
FTXG12HVJU	Wall Mounted Heat Pump Indoor Unit									842.00	No
									Total	2511.00	
RXG15HVJU	Outdoor Condensing Unit Heat Pump	21.0	10.0	15,000	18,000	11,100	-	1/4" x 3/8"	15 AMP	1716.00	No
FTXG15HVJU	Wall Mounted Heat Pump Indoor Unit									899.00	No
									Total	2615.00	

Low Ambient Wind Baffle / Air Adjustment Grille

Part #	Description	Models Use With	Price	Stock
KPW937C4	Low Ambient Air Adjustment Grile (Wind Baffle)	RXG09 / 12 / 15	144.00	No
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat for Single and Multi-Zone Systems and OTA Software Update		513.00	No

Multi-Zone Heat Pumps

MXS Series Multi-Zone Outdoor Units

Up to 18.9 SEER and 12.5 HSPF

Cooling Range 14° - 115 ° F

Heating Range 5° - 60° F

- Serve 2 to 8 Zones
- Use with ductless wall mount, cassette or concealed ducted indoor units
- Enhanced Drain Pan w/ optimal drainage

Part #	Nom. Capacity	Ports	Sound Rating	MOCP	Weight	Wind Baffle	Dimensions	Price	Stock
2MXS18NMVJU	18,000	2	51 dB(A)	20	123 lb	KPW063B4	28-15/16 H X 34-1/4 W X 12-5/8 D	1501.00	Yes
3MXS24RMVJU	24,000	3	54 dB(A)	25	137 lb	KPW063B4	28-15/16 H X 34-1/4 W X 12-5/8 D	1936.00	Yes
4MXS36RMVJU	36,000	4	54 dB(A)	25	139 lb	KPW063B4	28-15/16 H X 34-1/4 W X 12-5/8 D	2197.00	Yes
5MXS48TVJU	48,000	5	55 dB(A)	35	216 lb	KPW082A41	34-1/4 H X 43-5/16 W X 18-1/2 D	2954.00	Yes
RMXS48LVJU	48,000	8	58 dB(A)	30	283 lb	N/A	52-15/16 H X 35-7/16 W X 12-5/8 D	2945.00	Yes

Branch Box Required for 8 Zone RMXS48LVJU

Part #	Maximum Capacity	Dimensions	Line Sizes & QTY Outdoor	Line Sizes & QTY Indoor	Weight	Price	Stock
BPMKS048A2U	48,000	7-1/16 H X 11-9/16 W X 13-3/4 D	3/8 (1) X 5/8 (1)	1/4 (2) X 5/8 (2)	18 lbs	541.00	Yes
BPMKS049A3U	62,000	7-1/16 H X 11-9/16 W X 13-3/4 D	3/8 (1) X 5/8 (1)	1/4 (3) X 5/8 (3)	20 lbs	677.00	Yes

AURORA™ MXL Series Multi-Zone Outdoor Units - Enhanced Capacity - Up to 100% Heating Capacity down to 5*F - High Heat

Up to 18 SEER and 12.5 HSPF

Cooling Range 14° - 115° F

Heating Range -13° - 60° F

Up to 100% Heating Capacity at 5° F

- Serve 2 to 4 Zones
- Use with ductless wall mount, cassette or concealed ducted indoor units

Part #	Nom. Capacity	Ports	Sound Rating	MOCP	Weight	Wind Baffle	Dimensions	Price	Stock
2MXL18QMVJU	18,000	2	51 dB(A)	20	139 lbs	KPW063B4	28-15/16 H X 34-1/4 W X 12-5/8 D	1688.00	Yes
3MXL24RMVJU	24,000	3	54 dB(A)	25	140 lbs	KPW063B4	28-15/16 H X 34-1/4 W X 12-5/8 D	2101.00	Yes
4MXL36TVJU	36,000	4	55 dB(A)	35	214 lbs	KPW082A41	34-1/4 H X 43-5/16 W X 18-1/2 D	2834.00	Yes

Multi-Zone Heat Pumps

Piping and Connectivity

	2MXL18QMVJU	3MXL24RMVJU	4MXL36TVJU	2MXS18NMVJU	3MXS24RMVJU	4MXS36RMVJU	5MXL48TVJU	RMXS48LVJU
Precharged for up to (ft)	98	131	131	98	131	131	131	
Max Pipe Length to Each Indoor Unit	82	82	98	82	82	82	98	230
Max Total Pipe Length (ft)	164	230	230	164	230	230	262	442
Max Pipe Height From ODU to IDU	49	49	49	49	49	49	49	98
Min - Max No. of Indoor Units	2	2-3	2-4	2	2-3	2-4	2-5	2 - 8
Max Total Evap Capacity	24000	39000	48000	24000	39000	48000	57000	62400
7,000 BTU Indoor Unit	X	X	X	X	X	X	X	X
9,000 BTU Indoor Unit	X	X	X	X	X	X	X	X
12,000 BTU Indoor Unit	X	X	X	X	X	X	X	X
15,000 BTU Indoor Unit	X	X	X	X	X	X	X	X
18,000 BTU Indoor Unit		X	X		X	X	X	X
24,000 BTU Indoor Unit			X			X	X	X
Non-Ducted (SEER/EER/HSPF)	17 / 12.7 / 10.3	18 / 12.7 / 12.5	21.7 / 12.5 / 11/2	18.9 / 12.5 / 10.7	18 / 12.7 / 12.5	17.7 / 9.2 / 12.2	20.2 / 10.5 / 11/1	18.8 / 10.3 / 11.3
Ducted (SEER/EER/HSPF)	14 / 10.1 / 8.2	14 / 9.9 / 8.2	16.9 / 11 / 9.1	14 / 9.5 / 8.2	14 / 9.7 / 8.2	14 / 7.9 / 8.2	15.3 / 8.6 / 9.85	14.1 / 9.3 / 9.6
Mixed (SEER/EER/HSPF)	15.5 / 11.4 / 9.25	15.95 / 11.3 / 10.35	19.3 / 11.75 / 10.15	16.45 / 11 / 9.45	15.95 / 11.2 / 10.35	15.85 / 8.55 / 10.2	17.75 / 9.55 / 8.6	16.45 / 9.8 / 10.45

Multi-Zone Heat Pumps

Multi-Zone Combinations

Max: 24k BTU/h	Max: 39k BTU/h		Max: 48k BTU/h				
2MXI18 / 2MXS18	3MXI24 / 3MXS24		4MXL36 / 4MXS36				
2 Zone	2 Zone	3 Zone	2 Zone	3 Zone		4 Zone	
07+07	07+07	07+07+07	07+07	07+07+07	09+09+15	07+07+07+07	07+09+09+18
07+09	07+09	07+07+09	07+09	07+07+09	09+09+18	07+07+07+09	07+09+12+12
07+12	07+12	07+07+12	07+12	07+07+12	09+09+24	07+07+07+12	07+09+12+15
07+15	07+15	07+07+15	07+15	07+07+15	09+12+12	07+07+07+15	07+09+12+18
09+09	07+18	07+07+18	07+18	07+07+18	09+12+15	07+07+07+18	07+09+15+15
09+12	09+09	07+09+09	07+24	07+07+24	09+12+18	07+07+07+24	07+12+12+12
09+15	09+12	07+09+12	09+09	07+09+09	09+12+24	07+07+09+09	07+12+12+15
12+12	09+15	07+09+15	09+12	07+09+12	09+15+15	07+07+09+12	09+09+09+09
	09+18	07+09+18	09+15	07+09+15	09+15+18	07+07+09+15	09+09+09+12
	12+12	07+12+12	09+18	07+09+18	09+15+24	07+07+09+18	09+09+09+15
	12+15	07+12+15	09+24	07+09+24	09+18+18	07+07+09+24	09+09+09+18
	12+18	07+12+18	12+12	07+12+12	12+12+12	07+07+12+12	09+09+12+12
	15+15	07+15+15	12+15	07+12+15	12+12+15	07+07+12+15	09+09+12+15
	15+18	09+09+09	12+18	07+12+18	12+12+18	07+07+12+18	09+09+12+18
	18+18	09+09+12	12+24	07+12+24	12+12+24	07+07+15+15	09+09+15+15
		09+09+15	15+15	07+15+15	12+15+15	07+07+15+15	09+12+12+12
		09+09+18	15+18	07+15+18	12+15+18	07+09+09+09	09+12+12+15
		09+12+12	15+24	07+18+18	12+18+18	07+09+09+12	12+12+12+12
		09+12+15	18+18	09+09+09	15+15+15	07+09+09+15	
		09+12+18	18+24	09+09+12	15+15+18		
		09+15+15	24+24				
		12+12+12					
		12+12+15					

Multi-Zone Heat Pumps

Multi-Zone Combinations

Max: 48k BTU/h								
5MXS48								
2 Zone	3 Zone		4 Zone			5 Zone		
07+07	07+07+07	09+09+24	07+07+07+07	07+09+12+12	09+09+12+12	07+07+07+07+07	07+07+09+12+18	09+09+09+09+18
07+09	07+07+09	09+12+12	07+07+07+09	07+09+12+15	09+09+12+15	07+07+07+07+09	07+07+09+15+15	09+09+09+12+12
07+12	07+07+12	09+12+15	07+07+07+12	07+09+12+18	09+09+12+18	07+07+07+07+12	07+07+09+15+18	09+09+09+12+15
07+15	07+07+15	09+12+18	07+07+07+15	07+09+12+24	09+09+12+24	07+07+07+07+15	07+07+12+12+12	09+09+09+12+18
07+18	07+07+18	09+12+24	07+07+07+18	07+09+15+15	09+09+15+15	07+07+07+07+18	07+07+12+12+15	09+09+09+15+15
07+24	07+07+24	09+15+15	07+07+07+24	07+09+15+18	09+09+15+18	07+07+07+07+24	07+07+12+12+18	09+09+12+12+12
09+09	07+09+09	09+15+18	07+07+09+09	07+09+15+24	09+09+15+24	07+07+07+09+09	07+09+09+09+09	09+09+12+12+15
09+12	07+09+12	09+15+24	07+07+09+12	07+09+18+18	09+09+18+18	07+07+07+09+12	07+09+09+09+12	09+12+12+12+12
09+15	07+09+15	09+18+18	07+07+09+15	07+09+18+24	09+12+12+12	07+07+07+09+15	07+09+09+09+15	
09+18	07+09+18	09+18+24	07+07+09+18	07+12+12+12	09+12+12+15	07+07+07+09+18	07+09+09+09+18	
09+24	07+09+24	09+24+24	07+07+09+24	07+12+12+15	09+12+12+18	07+07+07+09+24	07+09+09+09+24	
12+12	07+12+12	12+12+12	07+07+12+12	07+12+12+18	09+12+12+24	07+07+07+12+12	07+09+09+12+12	
12+15	07+12+15	12+12+15	07+07+12+15	07+12+12+24	09+12+15+15	07+07+07+12+15	07+09+09+12+15	
12+18	07+12+18	12+12+18	07+07+12+18	07+12+15+15	09+12+15+18	07+07+07+12+18	07+09+09+12+18	
12+24	07+12+24	12+12+24	07+07+12+24	07+12+15+18	09+12+18+18	07+07+07+12+24	07+09+09+15+15	
15+15	07+15+15	12+15+15	07+07+15+18	07+12+15+24	09+15+15+15	07+07+07+15+15	07+09+09+15+18	
15+18	07+15+18	12+15+18	07+07+15+15	07+12+18+18	09+15+15+18	07+07+07+15+18	07+09+12+12+12	
15+24	07+15+24	12+18+18	07+07+15+24	07+15+15+15	12+12+12+12	07+07+07+18+18	07+09+12+12+15	
18+18	07+18+18	12+18+24	07+07+18+18	07+15+15+18	12+12+12+15	07+07+09+09+09	07+09+12+12+18	
18+24	07+18+24	15+15+15	07+07+18+24	07+15+18+18	12+12+12+18	07+07+09+09+12	07+09+12+15+15	
24+24	07+24+24	15+15+18	07+09+09+09	09+09+09+09	12+12+15+15	07+07+09+09+15	07+12+12+12+12	
	09+09+09	15+15+24	07+09+09+12	09+09+09+12	12+12+15+18	07+07+09+09+18	07+12+12+12+15	
	09+09+12	15+18+18	07+09+09+15	09+09+09+15	12+15+15+15	07+07+09+09+24	09+09+09+09+09	
	09+09+15	15+18+24	07+09+09+18	09+09+09+18		07+07+09+12+12	09+09+09+09+12	
	09+09+18	18+18+18	07+09+09+24	09+09+09+24		07+07+09+12+15	09+09+09+09+15	

Multi-Zone Heat Pumps

Multi-Zone Ratings

AHRI CERTIFIED REF #	MODEL	INDOOR TYPE	EER	SEER	HSPF
8849534	2MXL18QMVJU	Ducted Indoor Units	10.1	14	8.2
8849535	2MXL18QMVJU	Non-Ducted Indoor Units	12.7	17	10.3
8849536	2MXL18QMVJU	Mixed Ducted and Non-ducted Indoor Units	11.4	15.5	9.25
8103477	2MXS18NMVJU	Ducted Indoor Units	9.5	14	8.2
8103542	2MXS18NMVJU	Non-Ducted Indoor Units	12.5	18.9	10.7
8104492	2MXS18NMVJU	Mixed Ducted and Non-ducted Indoor Units	11	16.45	9.45
201851578	3MXL24RMVJU	Ducted Indoor Units	9.9	14	8.2
201851577	3MXL24RMVJU	Non-Ducted Indoor Units	12.7	17.9	12.5
201851582	3MXL24RMVJU	Mixed Ducted and Non-ducted Indoor Units	11.3	15.95	10.35
201851576	3MXS24RMVJU	Ducted Indoor Units	9.7	14	8.2
201851575	3MXS24RMVJU	Non-ducted Indoor Units	12.7	18	12.5
201851581	3MXS24RMVJU	Mixed Ducted and Non-ducted Indoor Units	11.2	15.95	10.35
201851580	4MXS36RMVJU	Ducted Indoor Units	7.9	14	8.2
201851579	4MXS36RMVJU	Non-Ducted Indoor Units	9.2	18	12.2
201851583	4MXS36RMVJU	Mixed Ducted and Non-ducted Indoor Units	8.55	15.85	10.2
202522139	4MXL36TVJU	Ducted Indoor Units	11	16.9	9.1
202521824	4MXL36TVJU	Non-Ducted Indoor Units	12.5	21.7	11.2
202522140	4MXL36TVJU	Mixed Ducted and Non-ducted Indoor Units	11.75	19.3	10.15
202638702	5MXS48TVJU	Ducted Indoor Units	8.6	15.3	8.6
202638701	5MXS48TVJU	Non-Ducted Indoor Units	10.5	20.2	11.1
202650862	5MXS48TVJU	Mixed Ducted and Non-ducted Indoor Units	955	17.75	9.85
5731241	RMXS48LVJU	Ducted Indoor Units	9.3	14.1	9.6
5731240	RMXS48LVJU	Non-Ducted Indoor Units	10.3	18.8	11.3

Multi-Zone Indoor Units

Standard Wall Mount Indoor for Multi-Split - Controller Included

- LV Series

Part #	Nom. Capacity	Sound Rating	Lineset Size	Weight	Dimensions	Price	Stock
CTXS07LVJU	7,000	38 dB(A)	1/4 X 3/8	20 lbs	11-5/8 H X 31-1/2 W X 8-7/16 D	333.00	Yes
FTXS09LVJU	9,000	42 dB(A)	1/4 X 3/8	20 lbs	11-5/8 H X 31-1/2 W X 8-7/16 D	377.00	Yes
FTXS12LVJU	12,000	45 dB(A)	1/4 X 3/8	22 lbs	11-5/8 H X 31-1/2 W X 8-7/16 D	385.00	Yes
FTXS15LVJU	15,000	45 dB(A)	1/4 X 1/2	31 lbs	13-3/8 H X 41-5/16 W X 9-3/4 D	431.00	Yes
FTXS18LVJU	18,000	46 dB(A)	1/4 X 1/2	31 lbs	13-3/8 H X 41-5/16 W X 9-3/4 D	454.00	Yes
FTXS24LVJU	24,000	51 dB(A)	1/4 X 5/8	31 lbs	13-3/8 H X 41-5/16 W X 9-3/4 D	558.00	Yes

EMURA™ Wall Mount Indoor for Multi-Split - Controller Included - White Finish

Part #	Nom. Capacity	Sound Rating	Lineset Size	Weight	Dimensions	Price	Stock
FTXR09TVJUW	9,000	41 dB(A)	1/4 X 3/8	27 lbs	11-15/16 H X 39-5/16 W X 8-3/8 D	511.00	Yes
FTXR12TVJUW	12,000	45 dB(A)	1/4 X 3/8	27 lbs	11-15/16 H X 39-5/16 W X 8-3/8 D	590.00	Yes
FTXR18TVJUW	18,000	47 dB(A)	1/4 X 1/2	27 lbs	11-15/16 H X 39-5/16 W X 8-3/8 D	747.00	Yes

EMURA™ Wall Mount Indoor for Multi-Split - Controller Included - Silver Finish

Part #	Nom. Capacity	Sound Rating	Lineset Size	Weight	Dimensions	Price	Stock
FTXR09TVJUS	9,000	41 dB(A)	1/4 X 3/8	27 lbs	11-15/16 H X 39-5/16 W X 8-3/8 D	535.00	Yes
FTXR12TVJUS	12,000	45 dB(A)	1/4 X 3/8	27 lbs	11-15/16 H X 39-5/16 W X 8-3/8 D	614.00	Yes
FTXR18TVJUS	18,000	47 dB(A)	1/4 X 1/2	27 lbs	11-15/16 H X 39-5/16 W X 8-3/8 D	771.00	Yes

Multi-Zone Indoor Units

VISTA™ 2' X 2' Ceiling Cassette Indoor Units

- **Required: Decoration Wall Panel and Controller are required to purchase**

Part #	Nom. Capacity	Sound Rating	Lineset Size	Weight	Dimensions	Price	Stock
FFQ09Q2VJU	9,000	36 dB(A)	1/4 X 3/8	36 lbs	10-1/4 H X 22-5/8 W X 22-5/8 D	665.00	Yes
FFQ12Q2VJU	12,000	38 dB(A)	1/4 X 3/8	36 lbs	10-1/4 H X 22-5/8 W X 22-5/8 D	713.00	Yes
FFQ15Q2VJU	15,000	42 dB(A)	1/4 X 1/2	36 lbs	10-1/4 H X 22-5/8 W X 22-5/8 D	875.00	Yes
FFQ18Q2VJU	18,000	46 dB(A)	1/4 X 1/2	40 lbs	10-1/4 H X 22-5/8 W X 22-5/8 D	973.00	Yes

VISTA™ Accessories

Part #	Description	Price	Stock
BYFQ60C2W1W	Decoration Panel - White	141.00	Yes
BRC082A42W	Wireless Controller - White	191.00	Yes
BYFQ60C2W1S	Decoration Panel - Silver	166.00	No
BRC082A42S	Wireless Controller - Silver	191.00	No
BRC1E73	Wired Controller	239.00	Yes

FDMQ Ducted Indoor Units

- **Required: Wired or Wireless Controller are required to purchase**

Part #	Nom. Capacity	Sound Rating	Lineset Size	Weight	Dimensions	Price	Stock
FDMQ09RVJU	9,000	32 dB(A)	1/4 X 3/8	64 lbs	9-5/8 H X 27-9/16 W X 31-1/2 D	788.00	Yes
FDMQ12RVJU	12,000	33 dB(A)	1/4 X 3/8	64 lbs	9-5/8 H X 27-9/16 W X 31-1/2 D	810.00	Yes
FDMQ15RVJU	15,000	34 dB(A)	1/4 X 1/2	77 lbs	9-5/8 H X 39-3/8 W X 31-1/2 D	916.00	Yes
FDMQ18RVJU	18,000	35 dB(A)	1/4 X 1/2	82 lbs	9-5/8 H X 39-3/8 W X 31-1/2 D	1095.00	Yes
FDMQ24RVJU	24,000	40 dB(A)	1/4 X 5/8	82 lbs	9-5/8 H X 39-3/8 W X 31-1/2 D	1189.00	Yes

FDMQ Accessories

Part #	Description	Price	Stock
BRC082A43	Wireless Controller	251.00	No
BRC1E73	Wired Controller	239.00	Yes

Multi-Zone Indoor Units

Floor Standing Indoor Units - Controller Included

Part #	Nom. Capacity	Sound Rating	Lineset Size	Weight	Dimensions	Price	Stock
FVXS09NVJU	9,000	38 dB(A)	1/4 X 3/8	31 lbs	23-5/8 H X 27-9/16 W X 8-1/4 D	618.00	Yes
FVXS12NVJU	12,000	39 dB(A)	1/4 X 3/8	31 lbs	23-5/8 H X 27-9/16 W X 8-1/4 D	683.00	Yes
FVXS15NVJU	15,000	44 dB(A)	1/4 X 1/2	31 lbs	23-5/8 H X 27-9/16 W X 8-1/4 D	691.00	Yes
FVXS18NVJU	18,000	44 dB(A)	1/4 X 1/2	31 lbs	23-5/8 H X 27-9/16 W X 8-1/4 D	750.00	No

17 Series Wall Mounted Cooling Only - FTKB / RKB

17 SEER Wall Mount Cooling Only (Remote Controller Included)

- Inverter Compressor
- Self Diagnostics with Digital Display
- Anti-Corrosion Treatment on Heat Exchanger
- Indoor/Outdoor Unit Quiet Operation
- **Max Piping (09/12 MBH): 66' Length, 32' Height**
- **Max Piping (18/24 MBH): 98' Length, 32' Height**

Precharged for up to 25ft. of Liquid Line
Auto Fan Speed Control
Wireless IR Remote Controller
Auto Restart after Power Failure

Part #	Description	SEER	EER	Rated Cooling	Sensible @ AHRI			Lineset Size	Breaker	Price	Stock
RKB09AXVJU	Outdoor Condensing Unit AC Only	17	11.0	8,800	7,165			1/4" x 3/8"	15 AMP	417.00	No
FTKB09AXVJU	Wall Mounted AC Only Indoor Unit									225.00	No
									Total	642.00	
RKB12AXVJU	Outdoor Condensing Unit AC Only	17	8.5	11,000	8,189			1/4" x 3/8"	15 AMP	464.00	No
FTKB12AXVJU	Wall Mounted AC Only Indoor Unit									255.00	No
									Total	719.00	
RKB18AXVJU	Outdoor Condensing Unit AC Only	17	10.5	18,000	12,932			1/4" x 1/2"	20 AMP	661.00	No
FTKB18AXVJU	Wall Mounted AC Only Indoor Unit									292.00	No
									Total	953.00	
RKB24AXVJU	Outdoor Condensing Unit AC Only	17	11.0	21,200	15,116			1/4" X 5/8"	20 AMP	794.00	No
FTKB24AXVJU	Wall Mounted AC Only Indoor Unit									334.00	No
									Total	1128.00	

19 Series Wall Mounted Cooling Only - FTK / RK

19 SEER Wall Mount AC (Remote Controller Included)

- Inverter Compressor
- Self Diagnostics with Digital Display
- Auto Fan Speed Control
- Wireless Backlit, IR Remote Controller
- Auto Restart after Power Failure
- **Max Piping (09/12 MBH): 65' Length, 49' Height**
- **Max Piping (18/24 MBH): 98' Length, 66' Height**

Precharged for up to 33 ft. of Liquid Line
Econo Mode / Dry Function / Powerful Mode
Anti-Corrosion Treatment on Heat Exchanger
Indoor/Outdoor Unit Quiet Operation

Part #	Description	SEER	EER	Rated Cooling	Sensible @ AHRI			Lineset Size	Breaker	Price	Stock
RK09AXVJU	Outdoor Condensing Unit AC Only	19	12.5	9,000	8,170			1/4" x 3/8"	15 AMP	Call	
FTK09AXVJU	Wall Mounted AC Only Indoor Unit									278.00	No
									Total	Call	
RK12AXVJU	Outdoor Condensing Unit AC Only	19	12.5	10,900	9,480			1/4" x 3/8"	15 AMP	550.00	No
FTK12AXVJU	Wall Mounted AC Only Indoor Unit									325.00	No
									Total	875.00	
RK18AXVJU	Outdoor Condensing Unit AC Only	18	12.5	18,000	14,480			1/4" x 1/2"	20 AMP	933.00	No
FTK18AXVJU	Wall Mounted AC Only Indoor Unit									388.00	No
									Total	1321.00	
RK24AXVJU	Outdoor Condensing Unit AC Only	18	12.5	21,200	15,760			1/4" X 5/8"	20 AMP	992.00	No
FTK24AXVJU	Wall Mounted AC Only Indoor Unit									424.00	No
									Total	1416.00	

Optional Accessories

Part #	Description	Models Used With	Price	Stock
KPW937E4	Low Ambient Air Adjustment Grille (Wind Baffle)	RK09 / 12	144.00	Yes
KPW063B4	Low Ambient Air Adjustment Grille (Wind Baffle)	RK18 / 24	156.00	Yes
BRP072A43	Wi-Fi Interface Adapter for Mini-Split Systems	All	160.00	Yes
BRC944B2	Wall Controller (must order Interface Adaptor & Cord)	All	145.00	Yes
BRCW901A08	Controller Cord (must order Interface Adaptor & Stat)	All	2.00	No
KRP067A41E	Interface Adaptor for Wired Remote Controller	FTK09 / 12	131.00	No
KRP980B2E	Interface Adaptor for Wired Remote Controller	FTK18 / 24	154.00	No
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat for Single and Multi-Zone Systems and OTA Software Update		513.00	No

SkyAir FAQ Series Wall Mounted Heat Pumps - FAQ / RZQ

SkyAir FAQ Series Wall Mount HP - Controller Required

- Inverter Compressor
- 208/230/1 Power Supply
- Vertical Auto-Swing
- Outdoor Unit Quiet Operation
- Auto Changeover
- Self Diagnostics with Digital Display
- Auto Fan Speed Control
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger
- **Max Piping (18/24 MBH): 164' Length, 98' Height**

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Max Heat @ 5°	Lineset Size	Breaker	Price	Stock
RZQ18TAVJU	Outdoor Condensing Unit Heat Pump	17.00	8.2	18,000	20,000	20,000	20,000	3/8" x 5/8"	25 AMP	1923.00	Yes
FAQ18TAVJU	Wall Mount Indoor Unit									488.00	No
									Total	2411.00	
RZQ24TAVJU	Outdoor Condensing Unit Heat Pump	17.60	8.4	24,000	27,000	27,000	27,000	3/8" x 5/8"	25 AMP	2117.00	Yes
FAQ24TAVJU	Wall Mount Indoor Unit									503.00	No
									Total	2620.00	

Accessories

Part #	Description	Price	Stock
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle)	175.00	No
BRC1E73	Navigation Wired Controller	239.00	Yes
BRC7E818	Wireless Remote Controller	187.00	No

SkyAir NV Series Wall Mounted Heat Pump - FTX / RX

NV Series Wall Mounted Heat Pump (Remote Controller Included)

*** Low Ambient Extended Operation -22°F - 115°F with Facility Setting and Air Adjustment Grille**

- Inverter Compressor
- Self Diagnostics with Digital Display
- Auto Fan Speed Control
- Wireless Backlit, IR Remote Controller
- Auto Restart after Power Failure
- Comfort Mode
- Ultra Low Ambient Option
- Vertical Auto Swing
- 208/230/1 Power Supply
- Intelligent Eye
- Anti-Corrosion Treatment on Heat Exchanger
- Indoor/Outdoor Unit Quiet Operation
- 3-D Airflow
- Weekly Timer
- Outdoor Unit Quiet Operation
- Auto Changeover
- **Max Piping (30/36 MBH): 98' Length, 66' Height**

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Rated Heat @ 5°	Lineset Size	Breaker	Price	Stock
RX30NMVJU	Outdoor Condensing Unit Heat Pump	17.5	9.30	31,400	34,800	22,400	15,550	1/4" X 5/8"	20 AMP	1742.00	Yes
FTX30NVJU	Wall Mounted Unit									616.00	Yes
									Total	2358.00	
RX36NMVJU	Outdoor Condensing Unit Heat Pump	15.9	9.20	34,400	36,000	22,800	15,740	1/4" X 5/8"	20 AMP	2299.00	Yes
FTX36NVJU	Wall Mounted Unit									745.00	Yes
									Total	3044.00	

Accessories

Part #	Description	Price	Stock
KPW063B4	Low Ambient Air Adjustment Grille (Wind Baffle)	156.00	Yes
BRP072A43	Wif-Fi Comfort Control	160.00	Yes
BRC944B2-A08	Wired Wall Controller	145.00	Yes

SkyAir FBQ Series Concealed Ducted Heat Pumps - FBQ / RZQ

SkyAir FBQ Series Concealed Ducted HP - Controller Required

*** 100% Heating Capacity at -4°F for systems up to 3 Tons**

- Inverter Compressor
- 208/230/1 Power Supply
- Auto Restart after Power Failure
- Auto Changeover
- **Max Piping (18/24/30 MBH): 164' Length, 98' Height**

Self Diagnostics with Digital Display
Auto Fan Speed Control
Bottom Access for easy service
Medium External Static Pressure (ESP) capabilities up to 0.8" W.G.

Connect to Daikin Zoning Kit (optional)
Built-in Condensate Pump
Anti-Corrosion Treatment on Heat Exchanger

Max Piping (36/42/48 MBH): 230' Length, 164' Height

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Rated Heat @ 5°	Lineset Size	Breaker	Price	Stock
RZQ18TAVJU	Outdoor Condensing Unit Heat Pump	16.70	9.50	18,000	20,000	20,000	20,000	3/8" x 5/8"	20 AMP	1923.00	Yes
FBQ18PVJU	Concealed Ducted Indoor Unit									866.00	Yes
									Total	2789.00	
RZQ24TAVJU	Outdoor Condensing Unit Heat Pump	16.50	9.70	24,000	27,000	27,000	27,000	3/8" x 5/8"	20 AMP	2117.00	Yes
FBQ24PVJU	Concealed Ducted Indoor Unit									1158.00	No
									Total	3275.00	
RZQ30TAVJU	Outdoor Condensing Unit Heat Pump	16.00	9.20	30,000	34,000	34,000	34,000	3/8" x 5/8"	20 AMP	2777.00	Yes
FBQ30PVJU	Concealed Ducted Indoor Unit									1216.00	No
									Total	3993.00	
RZQ36TAVJU	Outdoor Condensing Unit Heat Pump	17.50	9.10	36,000	40,000	40,000	40,000	3/8" x 5/8"	30 AMP	3179.00	No
FBQ36PVJU	Concealed Ducted Indoor Unit									1261.00	No
									Total	4440.00	
RZQ42TAVJU	Outdoor Condensing Unit Heat Pump	16.00	8.80	40,500	47,000	47,000	46,600	3/8" x 5/8"	30 AMP	3724.00	No
FBQ42PVJU	Concealed Ducted Indoor Unit									1362.00	No
									Total	5086.00	
RZQ48TAVJU	Outdoor Condensing Unit Heat Pump	14.00	8.40	48,000	54,000	54,000	46,800	3/8" x 5/8"	30 AMP	4022.00	No
FBQ48PVJU	Concealed Ducted Indoor Unit									1471.00	No
									Total	5493.00	

Accessories

Part #	Description	Models Used With	Required	Price	Stock
BRC1E73	Navigation Wired Controller	All	Yes	239.00	Yes
BRC4C82	Wireless Controller	All	Yes	251.00	Yes
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle)	RZQ18 / 24 / 30	No	175.00	No
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle) - 2 Required	RZQ36 / 42 / 48	No	175.00	No

SkyAir FCQ Series Ceiling Cassette Heat Pumps - FCQ / RZQ

SkyAir FCQ Series Ceiling Cassette Heat Pump - Controller & Grille Required

*** 100% Heating Capacity at -4°F for systems up to 3 Tons**

- Inverter Compressor
- Auto Fan Speed Control
- Anti-Corrosion Treatment on Heat Exchanger
- 23 Configurable Airflow Patterns
- Outside Air Integration Possible
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- True 360° Airflow
- 208/230/1 Power Supply
- Outdoor Unit Quiet Operation
- Auto-Changeover
- Condensate Pump Provided
- **Max Piping (18/24/30 MBH): 164' Length, 98' Height** **Max Piping (36/42/48 MBH): 230' Length, 164' Height**

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @47°	Rated Heat @17°	Rated Heat @5°	Lineset Size	Breaker	Price	Stock
RZQ18TAVJU	Outdoor Condensing Unit Heat Pump	18.60	10.10	18,000	20,000	20,000	20,000	3/8" x 5/8"	20 AMP	1923.00	Yes
FCQ18TAVJU	Ceiling Cassette Indoor Unit									1031.00	No
									Total	2954.00	
RZQ24TAVJU	Outdoor Condensing Unit Heat Pump	18.50	10.20	24,000	27,000	27,000	27,000	3/8" x 5/8"	20 AMP	2117.00	Yes
FCQ24TAVJU	Ceiling Cassette Indoor Unit									1506.00	No
									Total	3623.00	
RZQ30TAVJU	Outdoor Condensing Unit Heat Pump	17.20	10.20	30,000	34,000	34,000	34,000	3/8" x 5/8"	20 AMP	2777.00	Yes
FCQ30TAVJU	Ceiling Cassette Indoor Unit									1521.00	No
									Total	4298.00	
RZQ36TAVJU	Outdoor Condensing Unit Heat Pump	17.40	9.00	36,000	40,000	40,000	40,000	3/8" x 5/8"	30 AMP	3179.00	No
FCQ36TAVJU	Ceiling Cassette Indoor Unit									1719.00	No
									Total	4898.00	
RZQ42TAVJU	Outdoor Condensing Unit Heat Pump	17.00	8.60	42,000	47,000	47,000	46,600	3/8" x 5/8"	30 AMP	3724.00	No
FCQ42TAVJU	Ceiling Cassette Indoor Unit									1855.00	No
									Total	5579.00	
RZQ48TAVJU	Outdoor Condensing Unit Heat Pump	17.00	9.30	48,000	54,000	54,000	46,800	3/8" x 5/8"	30 AMP	4022.00	No
FCQ48TAVJU	Ceiling Cassette Indoor Unit									2004.00	No
									Total	6026.00	

Accessories

Part #	Description	Models Used With	Required	Price	Stock
BYCQ125B-W1	Ceiling Cassette Grille	All	Yes	319.00	No
BRC1E73	Navigation Wired Controller	All	Yes	239.00	Yes
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle)	RZQ18 / 24 / 30	No	175.00	No
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle) - 2 Required	RZQ36 / 42 / 48	No	175.00	No

SkyAir FHQ Series Ceiling Suspended Heat Pumps - FHQ / RZQ

SkyAir FHQ Series Ceiling Suspended HP - Controller Required

*** 100% Heating Capacity at -4°F for systems up to 3 Tons**

- Inverter Compressor
- 208/230/1 Power Supply
- Up to 230 ft. of Maximum Piping Length
- Outdoor Unit Quiet Operation
- Full Capacity at Ceiling Heights up to 12.5 ft.
- Slim in Height at less than 8"
- Self Diagnostics with Digital Display
- Auto Fan Speed Control
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger
- Auto Changeover
- **Max Piping (18/24/30 MBH): 164' Length, 98' Height**
- **Max Piping (36/42 MBH): 230' Length, 164' Height**

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Rated Heat @ 5°	Lineset Size	Breaker	Price	Stock
RZQ18TAVJU	Outdoor Condensing Unit Heat Pump	16.30	9.10	18,000	20,000	20,000	20,000	3/8" x 5/8"	20 AMP	1923.00	Yes
FHQ18PVJU	Ceiling Suspended Indoor Unit									837.00	No
									Total	2760.00	
RZQ24TAVJU	Outdoor Condensing Unit Heat Pump	16.60	9.30	24,000	27,000	27,000	27,000	3/8" x 5/8"	20 AMP	2117.00	Yes
FHQ24PVJU	Ceiling Suspended Indoor Unit									913.00	No
									Total	3030.00	
RZQ30TAVJU	Outdoor Condensing Unit Heat Pump	16.00	8.40	30,000	34,000	34,000	34,000	3/8" x 5/8"	20 AMP	2777.00	Yes
FHQ30PVJU	Ceiling Suspended Indoor Unit									899.00	No
									Total	3676.00	
RZQ36TAVJU	Outdoor Condensing Unit Heat Pump	14.00	8.20	36,000	40,000	40,000	40,000	3/8" x 5/8"	30 AMP	3179.00	No
FHQ36MVJU	Ceiling Suspended Indoor Unit									1000.00	No
									Total	4179.00	
RZQ42TAVJU	Outdoor Condensing Unit Heat Pump	14.00	8.20	40,500	40,000	40,000	40,000	3/8" x 5/8"	30 AMP	3724.00	No
FHQ42MVJU	Ceiling Suspended Indoor Unit									1073.00	No
									Total	4797.00	

Accessories

Part #	Description	Models Used With	Required	Price	
BRC1E73	Navigation Wired Controller	All	Yes	239.00	Yes
BRC7E83	Wireless Controller	All	Yes	199.00	No
KPW5E80	Low Ambeint Air Adjustment Grille (Wind Baffle)	RZQ18 / 24 / 30	No	175.00	No
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle) - 2 Required	RZQ36 / 42	No	175.00	No

SkyAir FTQ Series Conventional Ducted Heat Pumps - FTQ / RZQ

SkyAir FTQ Series Conventional Ducted HP - Controller Required

*** 100% Heating Capacity at -4°F for systems up to 3 Tons**

- Inverter Compressor — Self Diagnostics with Digital Display — 208/230/1 Power Supply
- Optional Electrical Resistance Heat — Anti-Corrosion Treatment on Heat Exchanger — Auto Changeover
- Full Multi-Position Air Handler — Downflow requires field installed optional down flow kit
- **Max Piping (18/24/30 MBH): 164' Length, 98' Height** — **Max Piping (36/42/48 MBH): 230' Length, 164' Height**

Part #	Description	SEER	HSPF	Rated Cooling	Rated Heat @ 47°	Rated Heat @ 17°	Max Heat @ 5°	Lineset Size	Breaker	Price	Stock
RZQ18TAVJU	Outdoor Condensing Unit Heat Pump	15.50	8.60	18,000	20,000	20,000	20,000	3/8" x 5/8"	20 AMP	1923.00	Yes
FTQ18TAVJUA	Conventional Ducted Indoor Unit									1418.00	Yes
									Total	3341.00	
RZQ24TAVJU	Outdoor Condensing Unit Heat Pump	15.20	9.40	24,000	27,000	27,000	27,000	3/8" x 5/8"	20 AMP	2117.00	Yes
FTQ24TAVJUA	Conventional Ducted Indoor Unit									1490.00	Yes
									Total	3607.00	
RZQ30TAVJU	Outdoor Condensing Unit Heat Pump	16.00	10.40	30,000	34,000	34,000	34,000	3/8" x 5/8"	20 AMP	2777.00	Yes
FTQ30TAVJUA	Conventional Ducted Indoor Unit									1566.00	Yes
									Total	4343.00	
RZQ36TAVJU	Outdoor Condensing Unit Heat Pump	15.30	9.50	36,000	40,000	40,000	40,000	3/8" x 5/8"	30 AMP	3179.00	No
FTQ36TAVJUA	Conventional Ducted Indoor Unit									1645.00	No
									Total	4824.00	
RZQ42TAVJU	Outdoor Condensing Unit Heat Pump	16.00	9.00	42,000	47,000	47,000	46,600	3/8" x 5/8"	30 AMP	3724.00	No
FTQ42TAVJUA	Conventional Ducted Indoor Unit									1728.00	No
									Total	5452.00	
RZQ48TAVJU	Outdoor Condensing Unit Heat Pump	14.80	9.00	48,000	54,000	54,000	46,800	3/8" x 5/8"	30 AMP	4022.00	No
FTQ48TAVJUA	Conventional Ducted Indoor Unit									1868.00	No
									Total	5890.00	

Accessories

Part #	Description	Models Used With	Required	Price	
BRC1E73	Navigation Wired Controller	All	Yes	239.00	Yes
BRC4C82	Wireless Controller	All	Yes	251.00	Yes
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle)	RZQ18 / 24 / 30	No	175.00	No
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle) - 2 Required	RZQ36 / 42 / 48	No	175.00	No
DFK-B	Down Flow Kit	FTQ18 / 24 / 30 / 36	No	21.00	No
DFK-C	Down Flow Kit	FTQ42 / 48	No	20.00	No

SkyAir FAQ Series Wall Mounted Cooling Only - FAQ / RZR

SkyAir FAQ Series Wall Mounted Cooling Only - Controller Required

- Inverter Compressor
- 208/230/1 Power Supply
- Vertical Auto-Swing
- Outdoor Unit Quiet Operation
- **Max Piping (18/24 MBH): 164' Length, 98' Height**

Self Diagnostics with Digital Display
Auto Fan Speed Control
Auto Restart after Power Failure
Anti-Corrosion Treatment on Heat Exchangerr

Part #	Description	SEER	EER	Rated Cooling				Lineset Size	Breaker	Price	Stock
RZR18TAVJU	Outdoor Condensing Unit AC Only	17.00	11.9	18,000				3/8" x 5/8"	25 AMP	1624.00	No
FAQ18TAVJU	Wall Mount Indoor Unit									488.00	No
									Total	2112.00	
RZR24TAVJU	Outdoor Condensing Unit AC Only	17.60	10.2	24,000				3/8" x 5/8"	25 AMP	1737.00	No
FAQ24TAVJU	Wall Mount Indoor Unit									503.00	No
									Total	2240.00	

Accessories

Part #	Description	Price	Stock
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle)	175.00	No
BRC1E73	Navigation Wired Controller	239.00	Yes
BRC7E818	Wireless Remote Controller	187.00	No

SkyAir NV Series Wall Mounted Cooling Only - FTX / RK

SkyAir NV Series Wall Mounted Cooling Only (Remote Controller Included)

- Inverter Compressor
- Self Diagnostics with Digital Display
- Auto Fan Speed Control
- Wireless Backlit, IR Remote Controller
- Auto Restart after Power Failure
- Comfort Mode
- Ultra Low Ambient Option
- Vertical Auto Swing
- **Max Piping (30/36 MBH): 98' Length, 66' Height**

208/230/1 Power Supply
Intelligent Eye
Anti-Corrosion Treatment on Heat Exchanger
Indoor/Outdoor Unit Quiet Operation
3-D Airflow
Weekly Timer
Outdoor Unit Quiet Operation

Part #	Description	SEER	EER	Rated Cooling				Lineset Size	Breaker	Price	Stock
RK30NMVJU FTX30NVJU	Outdoor Condensing Unit AC Only Wall Mounted Cooling Only Unit	17.5	9.85	31,400				1/4" X 5/8"	20 AMP Total	1503.00 616.00 2119.00	No Yes
RK36NMVJU FTX36NVJU	Outdoor Condensing Unit AC Only Wall Mounted Cooling Only Unit	15.9	9.1	34,400				1/4" X 5/8"	20 AMP Total	1817.00 745.00 2562.00	No Yes

Accessories

Part #	Description	Price	Stock
KPW063B4	Low Ambient Air Adjustment Grille (Wind Baffle)	156.00	Yes
BRP072A43	Wif-Fi Comfort Control	160.00	Yes
BRC944B2-A08	Wired Wall Controller	145.00	Yes

SkyAir FBQ Series Concealed Ducted Cooling Only - FBQ / RZR

SkyAir FBQ Series Concealed Ducted Cooling Only - Controller Required

- Inverter Compressor
- 208/230/1 Power Supply
- Up to 230 ft. of Maximum Piping Length
- Outdoor Unit Quiet Operation
- Self Diagnostics with Digital Display
- Auto Fan Speed Control
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger
- **Max Piping (18/24/30 MBH): 164' Length, 98' Height**
- **Max Piping (36/42/48 MBH): 230' Length, 164' Height**

Part #	Description	SEER	EER	Rated Cooling	Sensible Capacity (BTU/hr)			Lineset Size	Breaker	Price	Stock
RZR18TAVJU	Outdoor Condensing Unit AC Only	16.70	13.00	18,000	14,800			3/8" x 5/8"	20 AMP	1624.00	No
FBQ18PVJU	Concealed Ducted Indoor Unit									866.00	Yes
									Total	2490.00	
RZR24TAVJU	Outdoor Condensing Unit AC Only	16.50	12.00	24,000	18,700			3/8" x 5/8"	20 AMP	1737.00	No
FBQ24PVJU	Concealed Ducted Indoor Unit									1158.00	No
									Total	2895.00	
RZR30TAVJU	Outdoor Condensing Unit AC Only	16.00	10.50	30,000	23,400			3/8" x 5/8"	20 AMP	2297.00	No
FBQ30PVJU	Concealed Ducted Indoor Unit									1216.00	No
									Total	3513.00	
RZR36TAVJU	Outdoor Condensing Unit AC Only	17.50	11.10	36,000	27,200			3/8" x 5/8"	30 AMP	2616.00	No
FBQ36PVJU	Concealed Ducted Indoor Unit									1261.00	No
									Total	3877.00	
RZR42TAVJU	Outdoor Condensing Unit AC Only	16.00	10.10	40,500	30,500			3/8" x 5/8"	30 AMP	3058.00	No
FBQ42PVJU	Concealed Ducted Indoor Unit									1362.00	No
									Total	4420.00	
RZR48TAVJU	Outdoor Condensing Unit AC Only	14.00	8.60	48,000	36,100			3/8" x 5/8"	30 AMP	3302.00	No
FBQ48PVJU	Concealed Ducted Indoor Unit									1471.00	No
									Total	4773.00	

Accessories

Part #	Description	Models Used With	Required	Price	Stock
BRC1E73	Navigation Wired Controller	All	Yes	239.00	Yes
BRC4C82	Wireless Controller	All	Yes	251.00	Yes
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle)	RZR18 / 24 / 30	No	175.00	No
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle) - 2 Required	RZR36 / 42 / 48	No	175.00	No

SkyAir FCQ Series Ceiling Cassette Cooling Only - FCQ / RZR

SkyAir FCQ Series Ceiling Cassette Cooling Only - Controller & Grille Required

- Inverter Compressor
- 208/230/1 Power Supply
- Up to 230 ft. of Maximum Piping Length
- Outdoor Unit Quiet Operation
- 23 Configurable Airflow Patterns
- **Max Piping (18/24/30 MBH): 164' Length, 98' Height**
- **Max Piping (36/42/48 MBH): 230' Length, 164' Height**

Self Diagnostics with Digital Display
Auto Fan Speed Control
Auto Restart after Power Failure
Anti-Corrosion Treatment on Heat Exchanger

Part #	Description	SEER	EER	Rated Cooling	Sensible Capacity (Btu/hr)			Lineset Size	Breaker	Price	Stock
RZR18TAVJU	Outdoor Condensing Unit AC Only	18.60	13.00	18,000	16,100			3/8" x 5/8"	20 AMP	1624.00	No
FCQ18TAVJU	Ceiling Cassette Indoor Unit									1031.00	No
									Total	2655.00	
RZR24TAVJU	Outdoor Condensing Unit AC Only	18.50	12.00	24,000	19,900			3/8" x 5/8"	20 AMP	1737.00	No
FCQ24TAVJU	Ceiling Cassette Indoor Unit									1506.00	No
									Total	3243.00	
RZR30TAVJU	Outdoor Condensing Unit AC Only	17.20	9.30	30,000	22,300			3/8" x 5/8"	20 AMP	2297.00	No
FCQ30TAVJU	Ceiling Cassette Indoor Unit									1521.00	No
									Total	3818.00	
RZR36TAVJU	Outdoor Condensing Unit AC Only	17.60	11.40	36,000	28,300			3/8" x 5/8"	30 AMP	2616.00	No
FCQ36TAVJU	Ceiling Cassette Indoor Unit									1719.00	No
									Total	4335.00	
RZR42TAVJU	Outdoor Condensing Unit AC Only	17.00	10.30	42,000	30,600			3/8" x 5/8"	30 AMP	3058.00	No
FCQ42TAVJU	Ceiling Cassette Indoor Unit									1855.00	No
									Total	4913.00	
RZR48TAVJU	Outdoor Condensing Unit AC Only	17.00	9.00	48,000	35,000			3/8" x 5/8"	30 AMP	3302.00	No
FCQ48TAVJU	Ceiling Cassette Indoor Unit									2004.00	No
									Total	5306.00	

Accessories

Part #	Description	Models Used With	Required	Price	Stock
BYCQ125B-W1	Ceiling Cassette Grille	All	Yes	319.00	No
BRC1E73	Navigation Wired Controller	All	Yes	239.00	Yes
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle)	RZR18 / 24 / 30	No	175.00	No
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle) - 2 Required	RZR36 / 42 / 48	No	175.00	No

SkyAir FHQ Series Ceiling Suspended Cooling Only - FHQ / RZR

SkyAir FHQ Series Ceiling Suspended Cooling Only - Controller Required

- Inverter Compressor
- 208/230/1 Power Supply
- Up to 230 ft. of Maximum Piping Length
- Outdoor Unit Quiet Operation
- Full Capacity at Ceiling Heights up to 12.5 ft.
- **Max Piping (18/24/30 MBH): 164' Length, 98' Height**
- **Max Piping (36/42 MBH): 230' Length, 164' Height**

Self Diagnostics with Digital Display
Auto Fan Speed Control
Auto Restart after Power Failure
Anti-Corrosion Treatment on Heat Exchanger

Part #	Description	SEER	EER	Rated Cooling	Sensible Capacity (btu/hr)			Lineset Size	Breaker	Price	Stock
RZR18TAVJU	Outdoor Condensing Unit AC Only	16.30	12.90	18,000	13,300			3/8" x 5/8"	20 AMP	1624.00	No
FHQ18PVJU	Ceiling Suspended Indoor Unit									837.00	No
									Total	2461.00	
RZR24TAVJU	Outdoor Condensing Unit AC Only	16.60	11.30	24,000	17,100			3/8" x 5/8"	20 AMP	1737.00	No
FHQ24PVJU	Ceiling Suspended Indoor Unit									913.00	No
									Total	2650.00	
RZR30TAVJU	Outdoor Condensing Unit AC Only	16.00	10.50	30,000	21,100			3/8" x 5/8"	20 AMP	2297.00	No
FHQ30PVJU	Ceiling Suspended Indoor Unit									899.00	No
									Total	3196.00	
RZR36TAVJU	Outdoor Condensing Unit AC Only	14.00	9.50	36,000	25,100			3/8" x 5/8"	30 AMP	2616.00	No
FHQ36MVJU	Ceiling Suspended Indoor Unit									1000.00	No
									Total	3616.00	
RZR42TAVJU	Outdoor Condensing Unit AC Only	14.00	8.80	40,500	28,200			3/8" x 5/8"	30 AMP	3058.00	No
FHQ42MVJU	Ceiling Suspended Indoor Unit									1073.00	No
									Total	4131.00	

Accessories

Part #	Description	Models Used With	Required	Price	Stock
BRC1E73	Navigation Wired Controller	All	Yes	239.00	Yes
BRC7E83	Wireless Controller	All	Yes	199.00	No
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle)	RZR18 / 24 / 30	No	175.00	No
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle) - 2 Required	RZR36 / 42	No	175.00	No

SkyAir FTQ Series Conventional Ducted Cooling Only - FTQ / RZR

SkyAir FTQ Series Conventional Ducted Cooling Only - Controller Required

- Inverter Compressor
- Optional Electrical Resistance Heat
- Full Multi-Position Air Handler
- **Max Piping (18/24/30 MBH): 164' Length, 98' Height**

Self Diagnostics with Digital Display
Anti-Corrosion Treatment on Heat Exchanger
Downflow requires field installed optional down flow kit

208/230/1 Power Supply

Max Piping (36/42/48 MBH): 230' Length, 164' Height

Part #	Description	SEER	EER	Rated Cooling				Lineset Size	Breaker	Price	Stock
RZR18TAVJU	Outdoor Condensing Unit AC Only	15.50	12.50	18,000				3/8" x 5/8"	20 AMP	1624.00	No
FTQ18TAVJUA	Conventional Ducted Indoor Unit									1418.00	Yes
									Total	3042.00	
RZR24TAVJU	Outdoor Condensing Unit AC Only	15.20	10.30	24,000				3/8" x 5/8"	20 AMP	1737.00	No
FTQ24TAVJUA	Conventional Ducted Indoor Unit									1490.00	Yes
									Total	3227.00	
RZR30TAVJU	Outdoor Condensing Unit AC Only	16.00	12.50	30,000				3/8" x 5/8"	20 AMP	2297.00	No
FTQ30TAVJUA	Conventional Ducted Indoor Unit									1566.00	Yes
									Total	3863.00	
RZR36TAVJU	Outdoor Condensing Unit AC Only	15.30	11.30	36,000				3/8" x 5/8"	30 AMP	2616.00	No
FTQ36TAVJUA	Conventional Ducted Indoor Unit									1645.00	No
									Total	4261.00	
RZR42TAVJU	Outdoor Condensing Unit AC Only	16.00	11.00	42,000				3/8" x 5/8"	30 AMP	3058.00	No
FTQ42TAVJUA	Conventional Ducted Indoor Unit									1728.00	No
									Total	4786.00	
RZR48TAVJU	Outdoor Condensing Unit AC Only	14.80	9.50	48,000				3/8" x 5/8"	30 AMP	3302.00	No
FTQ48TAVJUA	Conventional Ducted Indoor Unit									1868.00	No
									Total	5170.00	

Accessories

Part #	Description	Models Used With	Required	Price	Stock
BRC1E73	Navigation Wired Controller	All	Yes	239.00	Yes
BRC4C82	Wireless Controller	All	Yes	251.00	Yes
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle)	RZR18 / 24 / 30	No	175.00	No
KPW5E80	Low Ambient Air Adjustment Grille (Wind Baffle) - 2 Required	RZR36 / 42 / 48	No	175.00	No
DFK-B	Down Flow Kit	FTQ18 / 24 / 30 / 36	No	21.00	No
DFK-C	Down Flow Kit	FTQ42 / 48	No	20.00	No

Warranties and Extended Service Plans

Models	Standard No Registration Required	Commercial No Registration Required	Residential Without Registration	Residential With Registration
17 Series	5 YEAR PARTS LIMITED WARRANTY	5 YEAR PARTS LIMITED WARRANTY	5 YEAR PARTS LIMITED WARRANTY	10 YEAR PARTS LIMITED WARRANTY
SkyAir, NV-30/36, LV-30/36	10 YEAR PARTS LIMITED WARRANTY	10 YEAR PARTS LIMITED WARRANTY	10 YEAR PARTS LIMITED WARRANTY	10 YEAR PARTS LIMITED WARRANTY
19 Series, AURORA™, LV, FDMQ, VISTA™, Quaternity™, MXS, RMXS, MXL	5 YEAR PARTS LIMITED WARRANTY	5 YEAR PARTS LIMITED WARRANTY	5 YEAR PARTS LIMITED WARRANTY	12 YEAR PARTS LIMITED WARRANTY

***Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 10-Year or 12-Year Parts Limited Warranties, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec.**

Warranties and Extended Service Plans

Asure℠ EXTENDED SERVICE PLAN

17 Series, SkyAir, NV-30/36, LV-30/36

Plan Number	Description	Transferrable	Price
DDI10L-NT	10 Year Labor - Indoor Unit	No	55.00
DDO10L-NT	10 Year Labor - Outdoor Unit	No	144.00
DDI10PL-T	6-10 Year Parts and 10 Year Labor - Indoor Unit	Yes	75.00
DDO10PL-T	6-10 Year Parts and 10 Year Labor - Outdoor Unit	Yes	224.00

19 Series, AURORA, LV, FDMQ, VISTA, Quaternity, MXS, RMXS, MXL

Plan Number	Description	Transferrable	Price
DDI12L-NT	12 Year Labor - Indoor Unit	No	55.00
DDO12L-NT	12 Year Labor - Outdoor Unit	No	144.00
DDI12PL-T	6-12 Year Parts and 12 Year Labor - Indoor Unit	Yes	75.00
DDO12PL-T	6-12 Year Parts and 12 Year Labor - Outdoor Unit	Yes	224.00
DDUE5-NT	5 Year Unit Replacement - Outdoor Unit	No	350.00
DDUE12-NT	12 Year Unit Replacement - Outdoor Unit	No	650.00

ASURE PROVIDES YEARS OF WORRY-FREE COMFORT

With an Asure Extended Service Plan, you'll have your choice of up to12-years of worry-free comfort without the unexpected cost of replacement parts or labor expenses** should your Daikin brand equipment require covered service. If a covered repair is needed, an Authorized Asure Dealer will respond promptly and make repairs with quality Daikin brand parts.

Asure coverage is affordable, on average costing only pennies a day. It's valuable coverage that protects you today and in the future, no matter how much the cost of service may increase over the life of your Daikin brand equipment.

****An Asure Service Agreement is only available through an Authorized Asure Dealer. Visit the Dealer Locator to find an Asure Dealer near you**

Single & Multi-Zone System Essentials

D-Checker

D-checker is a software application used to record and monitor operation data from an AC or HP system to which it has been connected to a device with a USB port by a cable. The software can then monitor the status of sensors (temperature and pressure) and actuators (compressors, solenoid valves, etc.). The data can then be used to validate proper installation our help diagnose the system in the event of an issue.

Part #	Description	Price	Stock
999482P3	USB D-Checker	215.00	No

Bluetooth D-Checker

D-checker is a software application used to record and monitor operation data from an AC or HP system to which it has been connected to a device with a Bluetooth connection. The software can then monitor the status of sensors (temperature and pressure) and actuators (compressors, solenoid valves, etc.). The data can then be used to validate proper installation our help diagnose the system in the event of an issue. Requires a supported device with a current version of "Daikin AC Monitoring Tool App"

Part #	Description	Price	Stock
999172T	Bluetooth D-Checker	522.00	Yes

EEV Manual Coil

The manual EEV coil tool is used to maualy open and close the EEV for varification of proper operation.

Part #	Description	Price	Stock
99S0038	EEV Manual Coil	165.00	No

Single & Multi-Zone System Essentials

Inverter Analyzer

Used to analyze the inverter board for proper operation and sequance.

Part #	Description	Price	Stock
999153T	Inverter Analyzer	409.00	No

DC Fan Motor Checker

Used to determine if motor has failed or not. Works on all DC motor products except 460V.

Part #	Description	Price	Stock
999154T	DC Fan Motor Checker	345.00	No

Daikin OEM Kit

1 - TLBAG2D Heavy Duty Bag
1 - BFT850FN Concentric Flaring Tool w/case
6 - SAE Crows Feet (5/8, 11/16, 13/16, 15/16, 1-1/16, 1-5/16) w/case
6 - Metric Crows Feet (17,22,24,26,27,29mm)
1 - MT2HP Heat Pump Manifold w/BV Hose Ends
1 - BTC300 Black Max Tube Cutter 1/8 - 1-1/4
2 - AD87 Straight Adapters - Adapt from 5/16 flare to 1/4 flare
2 - AD87S Angled Adapters 55deg - 5/16 flare to 1/4 flare
1 - BTLDB3 Black Max Deburring Tool w/extra Blade
1 - TLSWH SAE Hex Wrench Set - 5/64 - 1/4
1 - TLSWHM Metric Hex Wrench Set - 1.5mm - 8mm
1 - AVC410 5/16 Charge Port Caps (8)
1 - TLVCS410A 1/4" SAE Valve Core Removal Tool
1 - DACA-FSG-1 Flare Size Gauge

Part #	Description	Price	Stock
DACA-99STK-1	Daikin OEM Kit	574.00	No

Outdoor Dimensions

Outdoor Unit	Dimensions
RK09NMVJU	21-5/8H X 26-9/16W X 11-3/16D
RK12NMVJU	21-5/8H X 26-9/16W X 11-3/16D
RK18NMVJU	28-5/16H X 26-9/16W X 12-5/8D
RK24NMVJU	28-5/16H X 26-9/16W X 12-5/8D
RKB09AXVJU	21-5/8H X 25-15/16W X 10-3/4D
RKB12AXVJU	21-5/8H X 25-15/16W X 10-3/4D
RKB18AXVJU	25-11/16H X 33-11/16W X 12-15/16D
RKB24AXVJU	25-11/16H X 33-11/16W X 12-15/16D
RX09NMVJU	21-5/8H X 26-9/16W X 11-3/16D
RX09QMVJU9	21-5/8H X 26-9/16W X 11-3/16D
RX12NMVJU	21-5/8H X 26-9/16W X 11-3/16D
RX12QMVJU9	21-5/8H X 26-9/16W X 11-3/16D
RX15QMVJU	28-15/16H X 34-1/4W X 12-5/8D
RX18NMVJU	28-5/16H X 26-9/16W X 12-5/8D
RX18QMVJU9	28-15/16H X 34-1/4W X 12-5/8D
RX24NMVJU	28-5/16H X 26-9/16W X 12-5/8D
RX24RMVJU	28-15/16H X 34-1/4W X 12-5/8D
RXB09AXVJU	21-5/8H X 25-15/16W X 10-3/4D
RXB12AXVJU	21-5/8H X 25-15/16W X 10-3/4D
RXB18AXVJU	25-11/16H X 33-11/16W X 12-15/16D
RXB24AXVJU	25-11/16H X 33-11/16W X 12-15/16D
RXL09QMVJU	21-5/8H X 26-9/16W X 11-3/16D
RXL12QMVJU	21-5/8H X 26-9/16W X 11-3/16D
RXL15QMVJU	28-5/16H X 26-9/16W X 12-5/8D
RXS09LVJU	21-5/8H X 30-1/8W X 11-1/4D
RXS12LVJU	21-5/8H X 30-1/8W X 11-1/4D
RXS15LVJU	28-15-16H X 32-1/2W X 11-13/16D
RXS18LVJU	28-15-16H X 32-1/2W X 11-13/16D
RXS24LVJU	30-5/16H X 35-7/16W X 12-5/8D

SkyAir Unit	Dimensions
RK30NMVJU	28-15/16H X 34-1/4W X 12-5/8D
RK36NMVJU	28-15/16H X 34-1/4W X 12-5/8D
RX30NMVJU	28-15/16H X 34-1/4W X 12-5/8D
RX36NMVJU	28-15/16H X 34-1/4W X 12-5/8D
RZQ18TAVJU	39H X 37W X 13-3/4D
RZQ24TAVJU	39H X 37W X 13-3/4D
RZQ30TAVJU	52-15/16H X 35-7/16W X 13-3/4D
RZQ36TAVJU	52-15/16H X 35-7/16W X 13-3/4D
RZQ42TAVJU	52-15/16H X 35-7/16W X 13-3/4D
RZQ48TAVJU	52-15/16H X 35-7/16W X 13-3/4D
RZR18TAVJU	39H X 37W X 13-3/4D
RZR24TAVJU	39H X 37W X 13-3/4D
RZR30TAVJU	52-15/16H X 35-7/16W X 13-3/4D
RZR36TAVJU	52-15/16H X 35-7/16W X 13-3/4D
RZR42TAVJU	52-15/16H X 35-7/16W X 13-3/4D
RZR48TAVJU	52-15/16H X 35-7/16W X 13-3/4D